

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	690	713/189.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 09:56
L2	4	1 and (destroy adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 09:57
L3	25124	"713".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 09:56
L4	37	3 and (destroy adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 09:57
S1	1	"20020078361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/19 09:54
S2	41	(key\$2 adj2 (destroyed or deleted or removed)) and (key\$2 adj server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 16:05
S3	1	"6289450".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 16:05
S4	1	((key\$2 adj2 (destroyed or deleted or removed)) and (key\$2 adj server)) and voucher	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/10 16:29
S5	2	leased adj key\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 08:43
S6	13459	leas\$3 near3 key\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 08:44

S7	333	(key\$2 adj server) and (leas\$3 near3 key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 08:44
S8	14	((key\$2 adj server) and (leas\$3 near3 key\$2)) and (encrypted adj decryption adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 08:49
S9	8	key adj lease	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 09:02
S10	102	((key\$2 adj server) and (leas\$3 near3 key\$2)) and (decrypt\$ adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 09:03
S11	1838	voucher	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 09:16
S12	6	(encrypted adj decryption adj key\$2) and voucher	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 09:46
S13	268	temporary adj key\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 09:47
S14	2	(encrypted adj decryption adj key\$2) and (temporary adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 09:47
S15	1	voucher and (temporary adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 09:50
S16	69	(temporary adj key\$2) and (time near2 limit\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 09:56
S17	19	(key\$2 adj server) and (encrypted adj decryption adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 10:40
S18	349	3DES	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 10:37

S19	41	(key\$2 adj server) and 3DES	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 15:49
S20	5854	(first adj information) same (second adj information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 15:51
S21	1124	key\$2 adj server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 15:52
S22	19	((first adj information) same (second adj information)) and (key\$2 adj server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 15:52
S23	3	((first adj information) same (second adj information)) and (encrypted adj decryption adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 15:59
S24	42	((first adj information) same (second adj information)) same decrypt\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 16:54
S25	1	"6182220".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 17:15
S26	139	encrypted adj decryption adj key\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 13:44
S27	1	"6002770".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/15 21:49
S28	1059	(decryption adj key\$2) same (time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 13:45
S29	453	(decryption adj key\$2) with (time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 13:46
S30	72	(decryption adj key\$2) same (expiration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 13:50

S31	2	(encrypted adj3 (decryption adj key\$2)) same (expiration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 13:52
S32	62	(encrypted adj2 (decryption adj key\$2)) and (expiration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 15:18
S33	654	key\$2 near3 concat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 15:40
S34	15	(decryption adj key\$2) near3 concat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 15:23
S35	29	(decryption adj key\$2) with concat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 15:24
S36	1775514	first adj3 second encryption adj key\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 15:43
S37	459	(key\$2 near3 concat\$) and (first adj3 second encryption adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 17:50
S38	552282	(list near3 (encrypt\$ or decrypt\$) key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 17:51
S39	930958	(list of (encrypt\$ or decrypt\$) key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 17:52
S40	190928	network\$ and (list of (encrypt\$ or decrypt\$) key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 17:52
S41	44018	network\$ and ((list of (encrypt\$ or decrypt\$) key\$2) with (send or sent or transmi\$))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 17:54
S42	24412	network\$ and ((list of (encrypt\$ or decrypt\$) key\$2) near3 (send or sent or transmi\$))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 17:55

S43	816	(key\$2 adj server) and ((list of (encrypt\$ or decrypt\$) key\$2) near3 (send or sent or transmi\$))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 17:56
S44	4315	key\$2 adj2 (destroyed or deleted or removed)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 17:58
S45	35	((key\$2 adj server) and ((list of (encrypt\$ or decrypt\$) key\$2) near3 (send or sent or transmi\$))) and (key\$2 adj2 (destroyed or deleted or removed))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/16 17:58
S46	1131	key\$2 adj server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/17 09:13
S47	55	(stor\$3 or sav\$3) with (encrypted adj decryption adj key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/17 09:21
S48	73	(send\$3 or transmit\$) adj log adj3 server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/17 09:22
S49	8	(key\$2 adj server) and ((send\$3 or transmit\$) adj log adj3 server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/17 09:22
S53	57	destroy\$3 with (decrypted)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/04 16:32
S54	11	destroy\$3 same (decrypted adj (document or segment or content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:03
S55	7782	destroy\$3 same (content or document od segment)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:02
S56	7715	destroy\$3 same ((document or segment or content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:03
S57	2904	destroy\$3 with ((document or segment or content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:03

S58	831	destroy\$3 near2 ((document or segment or content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:04
S59	209	destroy\$3 adj ((document or segment or content))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:04
S60	32098	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:04
S61	43	S59 and S60	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:08
S62	1	(remov\$3 or delet\$3) adj (decrypt\$3 adj (content or document))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 10:10
S63	29	(remov\$3 or delet\$3) with (decrypt\$3 adj (content or document))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 11:41
S64	106	((client with server) with (random) with encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 12:11
S65	37	S64 and document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 11:43
S66	470390	(client same sever sam random)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 12:13
S67	32098	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 12:12
S68	14856	S66 and S67	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 12:12
S69	8	(client with sever same random)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 12:17

S70	9	(client same sever same random)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 12:17
S71	1	S70 not S69	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 12:18
S72	19	(DES with (random)) same (client same server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/05 12:19
S73	2	(key adj lease) and (key\$1 near3 encrypt\$3 near2 key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:00
S74	2	(key adj lease) and (key\$1 with (encrypt\$3 near2 key\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:00
S75	2	(key adj lease) and ((encrypt\$3 near2 key\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:00
S76	2	(key adj lease) and ((encrypt\$3 with key\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:01
S78	2	(key adj lease) and ((encrypt\$3 same key\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:01
S79	12	(key adj lease)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:03

S80	35726	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:03
S81	4349	S80 and (key with leas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:04
S82	522	S80 and (key adj leas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:05
S83	1	S80 and (key adj lease)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:04
S84	2	S80 and (key adj lease\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:04
S85	428	S82 and (key\$1 near3 encrypt\$3 near3 key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:06
S86	88	S82 and (key\$1 adj encrypt\$3 adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:16
S87	54	S86 and server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:08



S88	196948	server\$1.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:38
S89	14	S88 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:09
S90	36	S86 and @ad<="20001215"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:17
S91	1	S88 and (key adj lease)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:43
S92	371	(key adj server\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:39
S93	125	S92 and (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:40
S94	50	S93 and @ad<="20001215"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:40
S95	3	S88 and (lease\$1 near2 key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:45

S97	26	S88 and (lease\$1 with key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:51
S98	1	(key adj server\$1) with (expir\$5) with (client\$1 or user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:53
S99	11	(key adj server\$1) same (expir\$5) with (client\$1 or user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 09:53